

Tork Advanced 420 Centerfeed



Artikel: 101250

System: M2 - Centerfeed-system, stort

Lag: 2

Farve: Hvid

Tryk:

Prægning:

Rullebredde: 24.5 cm

Rullelængde: 160 m

Antal ark: 457

Arklængde: 35 cm

Rullediameter: 19 cm

Beskrivelse

Alsidigt aftøringspapir til forskellige arbejdsmiljøer. En fleksibel løsning, som er ideel til områder med stort forbrug. Centerfeed-funktion gør det nemt og hurtigt at skifte ruller. Godkendt til fødevarebrug.

Produktspecifikation

- Ideel til at aftørre glas eller sarte overflader
- Efterlader ingen spor
- Meget blødt
- Skånsomt mod hænder, der vaskes ofte
- God sugsevne
- Ny emballage: Tork Carry Box - sikrer nem håndtering

Forsendelsesdata

Forbrugerenhed:

EAN: 7310791213521

Stk.: 1

Højde: 245 mm

Bredde: 190 mm

Længde: 190 mm

Volumen: 8.8 dm³

Nettovægt: 1529 g

Bruttovægt: 1529 g

Transportenhed:

EAN: 7310791213538

Stk.: 6

Forbrugerenheder: 6

Materiale: Carton

Højde: 262 mm

Bredde: 396 mm

Længde: 586 mm

Volumen: 60.8 dm³

Nettovægt: 9.17 kg

Bruttovægt: 9.76 kg

Miljø

Content

Virgin Pulp

Recycled fibres

Chemicals

Material

Virgin fibres and recovered paper

In the tissue process both virgin fibres and recovered paper are being used. In the process it is a matter of finding an efficient solution where both virgin fibres and recovered paper play a role.

Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are:

Wet strength agent

Dry strength agent

If coloured = Dye

Fixing agents

If white Fluorescent whitening agent

If needed Glue

Softeners

The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids

Broke treatment chemicals

Drainage aid

Product safety

The product fulfils the legislative requirements for food safety =Isega.

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel.

This product is approved for Nordic ecolabel, licence 305 003 and EU ecolabel.

Date of issue 2010-08-17

Revision date

SCA Hygiene Products AB, Bäckstensgatan, 405 03 Göteborg

Production

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 14001.

Destruction

This product is mainly used for personal hygiene and can be collected together with household waste. If used for industrial processes check local regulations for destruction.