

Tork Premium Toiletpapir Jumbo Soft



Artikel: 110273

System: T1 - Jumbotoiletsystem

Lag: 2

Farve: Hvid

Tryk:

Prægning: Ja

Rullebredde: 9.7 cm

Rullelængde: 360 m

Antal ark: 1800

Arklængde: 20 cm

Rullediameter: 26 cm

Indvendig kerner diameter: 5.9 cm

Produktspecifikation

- Velegnet til steder med mange besøgende
- Blødt og glansfuldt
- Præget, hvilket giver øget fylde
- Attraktivt udseende

Forsendelsesdata

Forbrugerenhed:

EAN: 7310791268408

Stk.: 1

Højde: 97 mm

Bredde: 260 mm

Længde: 260 mm

Volumen: 6.6 dm³

Nettovægt: 1173 g

Bruttovægt: 1191 g

Transportenhed:

EAN: 7310791268415

Stk.: 6

Forbrugerenheder: 6

Materiale: Carton

Højde: 304 mm

Bredde: 276 mm

Længde: 542 mm

Volumen: 45.5 dm³

Nettovægt: 7.04 kg

Bruttovægt: 7.57 kg

Miljø

Content

Recycled fibres

Chemicals

Material

Recycled fibres

Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product

properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free) (where chlorine dioxide is used), and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are:

Dry strength agent

Dye

Fixing agents

Fluorescent whitening agent

Glue

Softeners

The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids

Broke treatment chemicals

Drainage aid

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel

Approved and labeled according to Nordic ecolabel and EU ecolabel.

Date of issue 2010-11-29

Revision date

SCA Hygiene Products AB, 405 03 Göteborg, SE

Production

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 14001.

Destruction

This product is suitable to be taken care of in the normal sewage system of the community.