



## APESIN SDR SAN 2 X 5 L DK/GB

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : APESIN SDR SAN 2 X 5 L DK/GB  
Identification number : 61183

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Biocidal product  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642414  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person :  
Contact person : Product development / product safety

#### 1.4 Emergency telephone number

+49(0)6131-19240

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1 H290: May be corrosive to metals.

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.



## APESIN SDR SAN 2 X 5 L DK/GB

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

	H315	Causes skin irritation.
	H318	Causes serious eye damage.
Precautionary statements	: P102	Keep out of reach of children.
	<b>Prevention:</b>	
	P280	Wear eye protection/ face protection.
	P280	Wear protective gloves.
	<b>Response:</b>	
	P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337 + P313	If eye irritation persists: Get medical advice/ attention.
	<b>Disposal:</b>	
	P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

l-(+)-lactic acid

Safety data sheet available on request.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.  
No information available.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Aqueous solution of biocides

#### Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Phosphoric acid	7664-38-2 231-633-2 01-2119485924-24	Skin Corr. 1B; H314 Met. Corr. 1; H290  SCL >= 25 % 1B; H314 10 - < 25 % 2; H315 10 - < 25 % 2; H319	>= 15 - < 20



**APESIN SDR SAN 2 X 5 L DK/GB**

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6 270-407-8 01-2119513401-57	Skin Irrit. 2; H315 Eye Dam. 1; H318  SCL >= 5 % 2; H315 > 5 - 38 % 2; H319 > 38 % 1; H318	>= 5 - < 10
l-(+)-lactic acid	79-33-4 201-196-2 01-2119474164-39	Skin Irrit. 2; H315 Eye Dam. 1; H318  SCL >= 10 % 2; H315 >= 3 % 1; H318 1 - < 3 % 2; H319	>= 5 - < 10

For explanation of abbreviations see section 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
Protect unharmed eye.  
Continue rinsing eyes during transport to hospital.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Take victim immediately to hospital.

**4.2 Most important symptoms and effects, both acute and delayed**

- Symptoms : corrosive effects  
Irritation
- Risks : No information available.



## APESIN SDR SAN 2 X 5 L DK/GB

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
Evacuate personnel to safe areas.

### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections



## APESIN SDR SAN 2 X 5 L DK/GB

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

- Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.
- Other data : No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

- Specific use(s) : Biocidal product

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Update	Basis
Phosphoric acid	7664-38-2	TWA	1 mg/m <sup>3</sup>	2009-12-19	2000/39/EC
Further information	:	Indicative			
Phosphoric acid	7664-38-2	STEL	2 mg/m <sup>3</sup>	2009-12-19	2000/39/EC
Further information	:	Indicative			

DNEL



**APESIN SDR SAN 2 X 5 L DK/GB**

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

**Phosphoric acid  
7664-38-2:**

: End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term local effects  
Value: 1 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term local effects  
Value: 0,36 mg/m<sup>3</sup>

End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Acute local effects  
Value: 2 mg/m<sup>3</sup>

End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 10,7 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 4,57 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long-term systemic effects  
Value: 0,1 mg/kg

**Sulfonic acids, C14-16-alkane  
hydroxy and C14-16-alkene,  
sodium salts  
68439-57-6:**

: End Use: Workers  
Exposure routes: Skin contact  
Potential health effects: Long-term exposure, Systemic effects  
Value: 2158,33 mg/kg

End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term exposure, Systemic effects  
Value: 152,22 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Skin contact  
Potential health effects: Long-term exposure, Systemic effects  
Value: 1295 mg/kg

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term exposure, Systemic effects  
Value: 45,04 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Ingestion  
Potential health effects: Long-term exposure, Systemic effects  
Value: 12,95 mg/kg



## APESIN SDR SAN 2 X 5 L DK/GB

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

### I-(+)-lactic acid 79-33-4:

- : End Use: Workers
- Exposure routes: Inhalation
- Potential health effects: Short-term exposure, Local effects
- Value: 592 mg/m<sup>3</sup>
  
- End Use: Consumers
- Exposure routes: Ingestion
- Potential health effects: Short-term exposure, Systemic effects
- Value: 35,4 mg/kg
  
- End Use: Consumers
- Exposure routes: Inhalation
- Potential health effects: Short-term exposure, Local effects
- Value: 296 mg/m<sup>3</sup>

### PNEC

#### Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6:

- : Fresh water
- Value: 0,042 mg/l
  
- Marine water
- Value: 0,0042 mg/l
  
- Fresh water sediment
- Value: 2,025 mg/l
  
- Marine sediment
- Value: 0,2025 mg/l
  
- Soil
- Value: 0,0061 mg/l
  
- STP
- Value: 4 mg/l
  
- I-(+)-lactic acid  
79-33-4:
- : Fresh water
- Value: 1,3 mg/l
  
- STP
- Value: 10 mg/l

## 8.2 Exposure controls

### Personal protective equipment

#### Eye protection

- : If splashes are likely to occur, wear:  
Tightly fitting safety goggles

#### Hand protection

#### Material

- : For prolonged or repeated contact use protective gloves.  
It is suggested the usage of chemical resistant gloves made of butyl



## APESIN SDR SAN 2 X 5 L DK/GB

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

rubber or nitrile rubber category III according to EN 374-1: 2003 (0,4 mm).  
As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.  
Recommended Filter type:  
ABEK-P3-filter

### Environmental exposure controls

General advice : Try to prevent the material from entering drains or water courses.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : Aqueous solution  
Colour : red  
Odour : odourized  
Odour Threshold : No data available  
pH : ca. 0,5  
Melting point/range : No data available  
Boiling point/boiling range : No information available.  
Flash point : Not applicable  
Evaporation rate : No data available  
Flammability (solid, gas) : No data available  
Flammability (liquids) : No data available  
Burning rate : No data available  
Lower explosion limit : No data available  
Upper explosion limit : No data available  
Vapour pressure : No data available  
Relative vapour density : No data available  
Relative density : No data available





## APESIN SDR SAN 2 X 5 L DK/GB

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

Density	: ca. 1,130 g/cm <sup>3</sup>
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
acid reserve	: 9,3 g/100g
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if used as directed.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.  
Other information : No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects



## APESIN SDR SAN 2 X 5 L DK/GB

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

### Product

Skin corrosion/irritation	: Extremely corrosive and destructive to tissue.
Serious eye damage/eye irritation	: May cause irreversible eye damage.
Respiratory or skin sensitisation	: No data available
Germ cell mutagenicity	: Not Rated
Carcinogenicity	: Not Rated
Reproductive toxicity	: Not Rated
STOT - single exposure	: The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT - repeated exposure	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration toxicity	: Not Rated
Further information	: No data available

### Components:

#### **Phosphoric acid**

#### **7664-38-2:**

Acute oral toxicity	: LD50 Oral Rat: 1.530 mg/kg LD50 Oral Rat: 2.600 mg/kg
Acute inhalation toxicity	: LC50 Rat: 0,21 mg/l Exposure time: 4 h  LC50 Rat: 850 mg/l Exposure time: 2 h
Acute dermal toxicity	: LD50 Rabbit: 2.740 mg/kg
Skin corrosion/irritation	: Species: Rabbit Exposure time: 24 h Result: Corrosive
Serious eye damage/eye irritation	: Species: Rabbit Result: Corrosive



**APESIN SDR SAN 2 X 5 L DK/GB**

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

Repeated dose toxicity : Rat: NOAEL: 250 mg/kg  
Application Route: Oral  
Method: OECD 422

**Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts**

**68439-57-6:**

Acute oral toxicity : LD50 Oral Rat: > 2.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 Rat: 52 mg/l  
Exposure time: 4 h  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal Rabbit: 6.300 mg/kg  
Method: OECD Test Guideline 402

Skin corrosion/irritation : Species: Rabbit  
Result: Irritating to skin.  
Method: OECD Test Guideline 404

Serious eye damage/eye irritation : Species: Rabbit  
Result: Risk of serious damage to eyes.  
Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Species: Guinea pig  
Result: Did not cause sensitisation on laboratory animals.  
Method: OECD Test Guideline 406

Repeated dose toxicity : Rat: NOAEL: 259 mg/kg  
Application Route: Dermal  
Exposure time: 2 Years

**I-(+)-lactic acid**

**79-33-4:**

Acute oral toxicity : LD50 Mouse: 4.875 mg/kg  
LD50 Oral Guinea pig: 1.810 mg/kg  
LD50 Oral Rat, female: 3.543 mg/kg  
LD50 Oral Rat, male: 4.936 mg/kg



## APESIN SDR SAN 2 X 5 L DK/GB

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

Acute inhalation toxicity	: LC50 Rat, male and female: 7,94 mg/l Exposure time: 4 h
Acute dermal toxicity	: LD50 Rabbit: > 2.000 mg/kg
Skin corrosion/irritation	: Species: Rabbit Result: Irritating to skin.
Serious eye damage/eye irritation	: Species: Chicken eye Result: Causes serious eye damage.
Respiratory or skin sensitisation	: Species: Guinea pig Result: Not a skin sensitizer.
Repeated dose toxicity	: Rat: LOAEL: 886 mg/kg Application Route: Dermal  NOAEL: 5.000 mg/l  Application Route: Oral

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### **Phosphoric acid**

#### **7664-38-2:**

Toxicity to fish	: LC0 (Gambusia affinis (Mosquito fish)): 138 mg/l Exposure time: 96 h  LC50 (Lepomis macrochirus (Bluegill sunfish)): 3 - 3,25 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): 100 - 1.000 mg/l Exposure time: 96 h  EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae	: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201  NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l Exposure time: 72 h



**APESIN SDR SAN 2 X 5 L DK/GB**

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

	Test Type: static test Method: OECD Test Guideline 201
Toxicity to bacteria	: EC50 (activated sludge): 270 mg/l  EC50 (activated sludge): > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
<b>Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6:</b>	
Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 4,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: (Daphnia magna (Water flea)): 4,53 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	: (Skeletonema costatum (marine diatom)): 5,2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to bacteria	: EC50 (Bacteria): 230 mg/l Method: OECD Test Guideline 209
Plant toxicity	: 2025 mg/lDuration: 10 d
<b>l-(+)-lactic acid 79-33-4:</b>	
Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 130 mg/l Exposure time: 96 h  LC50 (Fish): 320 mg/l Exposure time: 48 h  LC50 (Oncorhynchus mykiss (rainbow trout)): 130 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 130 mg/l Exposure time: 48 h  EC50 (Daphnia pulex (Water flea)): 240 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Scenedesmus capricornutum (fresh water algae)): 3.500 mg/l  ErC50 (Pseudokirchneriella subcapitata (microalgae)): 2.800 mg/l Exposure time: 72 h  EC50 (Pseudokirchneriella subcapitata (algae)): > 2.800 mg/l Exposure time: 72 h  NOEC (Pseudokirchneriella subcapitata (green algae)): 1.900 mg/l



## APESIN SDR SAN 2 X 5 L DK/GB

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

	Exposure time: 70 h
Toxicity to bacteria	: EC50 (activated sludge): > 100 mg/l Exposure time: 3 h
Toxicity to fish (Chronic toxicity)	: Lowest Observed Effect Concentration: 2,18 mg/l Exposure time: 90 d Species: Fish
Toxicity to terrestrial organisms	: LC50: 2.250 mg/kg> Exposure time: 14 d Species: <i>Colinus virginianus</i> (Bobwhite quail)

### 12.2 Persistence and degradability

#### Components:

##### **Phosphoric acid**

###### **7664-38-2:**

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

##### **Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts**

###### **68439-57-6:**

Biodegradability : Biodegradation: > 80 %  
Method: OECD 301 B  
Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.

Chemical Oxygen Demand (COD) : 790 mg/g

Dissolved organic carbon (DOC) : 190 mg/g

##### **l-(+)-lactic acid**

###### **79-33-4:**

Biodegradability : Result: rapidly biodegradable

Biochemical Oxygen Demand (BOD) : 450 mg/g  
Incubation time: 5 d

600 mg/g  
Incubation time: 20 d

Chemical Oxygen Demand (COD) : 900 mg/g

ThOD : 1.067 mg/g

### 12.3 Bioaccumulative potential

#### Components:

##### **Phosphoric acid**

###### **7664-38-2:**



## APESIN SDR SAN 2 X 5 L DK/GB

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

Partition coefficient: n-octanol/water : log Pow: -0,77

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### Components:

##### Phosphoric acid

##### 7664-38-2:

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

### 12.6 Other adverse effects

#### Product:

Additional ecological information : There is no data available for this product.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

Waste Code : European Waste Catalogue  
07 06 99  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

## SECTION 14: Transport information

### 14.1 UN number

ADR : 1903  
IMDG : 1903  
IATA : 1903



## APESIN SDR SAN 2 X 5 L DK/GB

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

### 14.2 Proper shipping name

<b>ADR</b>	: DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (phosphoric acid)
<b>IMDG</b>	: DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Phosphoric acid)
<b>IATA</b>	: Disinfectant, liquid, corrosive, n.o.s. Not permitted for transport

### 14.3 Transport hazard class

<b>ADR</b>	: 8
<b>IMDG</b>	: 8
<b>IATA</b>	: 8

### 14.4 Packing group

<b>ADR</b>	
Classification Code	: C9
Packaging group	: III
Hazard Identification Number	: 80
Labels	: 8
Tunnel restriction code	: (E)
<b>IMDG</b>	
Packaging group	: III
Labels	: 8
EmS Number	: F-A, S-B
<b>IATA</b>	
<b>(Cargo)</b>	: Disinfectant, liquid, corrosive, n.o.s. Not permitted for transport
Packaging group	: III
Labels	: 8

### 14.5 Environmental hazards

<b>ADR</b>	
Environmentally hazardous	: no
<b>IMDG</b>	
Marine pollutant	: no
<b>IATA</b>	
Environmentally hazardous	: no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.





## APESIN SDR SAN 2 X 5 L DK/GB

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable
- : Directive 96/82/EC does not apply
- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. TA Luft List (Germany) : Not applicable
- : Total dust: Not applicable  
: Inorganic substances in powdered form: Not applicable  
: Inorganic substances in vapour or gaseous form: Not applicable  
: Organic Substances: : portionClass 1: < 0,01 %  
: Carcinogenic substances: Not applicable  
: Mutagenic: Not applicable  
: Toxic to reproduction: Not applicable
- Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Update: Percent volatile: 5,7 %  
291,99 g/l  
VOC content excluding water
- Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Update: Percent volatile: 5,7 %  
64,38 g/l  
VOC content valid only for coating materials used on wood surfaces
- according to Detergents Regulation EC 648/2004 : 5 - <15% Anionic surfactants, Perfumes, LACTIC ACID, BUTYLPHENYL METHYLPROPIONAL, HEXYL CINNAMAL
- GISBAU (D) : GD 0

#### 15.2 Chemical safety assessment

There is no data available for this product.



## APESIN SDR SAN 2 X 5 L DK/GB

WM 0713149

Order number: 0713148

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

### SECTION 16: Other information

#### Full text of H-Statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.

#### Further information

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure:	H290	Calculation method
	H315	Calculation method
	H318	Calculation method

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Werner & Mertz  
Professional

**APESIN SDR SAN 2 X 5 L DK/GB**

**WM 0713149**

**Order number: 0713148**

Version 6.0

Revision Date 13.02.2019

Print Date 20.08.2019

50000002318